

# LBB 9080/00 Omnidirectional Dynamic Handheld Microphone

www.boschsecurity.com



**BOSCH**  
Invented for life



- ▶ Excellent speech reproduction
- ▶ Rugged construction
- ▶ Easy to handle
- ▶ Remote switching contact
- ▶ Close talking applications

The LBB 9080/00 handheld microphone is designed for close talking applications, and is ideal for short announcements.


## Functions

The microphone has a press to talk (PTT) switch on the side. The switch has additional contacts for remote control functions, if required.


## Certifications and approvals

Region	Certification
Europe	CE


## Installation/configuration notes



Dimensions in mm



Circuit diagram



Frequency response

**Parts included**

Quantit y	Component
1	LBB 9080/00 Omnidirectional Dynamic Handheld Microphone
1	Wall-mounting bracket

**Technical specifications**

**Electrical\***

Type	Handheld
Polar pattern	Omnidirectional
Frequency range	280 Hz to 14 kHz
Sensitivity	3.1 mV/Pa ±4 dB
Rated output impedance	500 ohm

\* Technical performance data acc. to IEC 60268-4

**Mechanical**

Dimensions (H x W x D)	103 x 62 x 43 mm (4.05 x 2.44 x 1.69 in)
Weight (incl. cable)	190 g (6.7 oz)
Color	Black
Switch	On/off with remote control contact
Cable type	2-core + 2-core screened (coiled)
Cable length	0.5 m (1.2 m extended)
Connector	5-pin 180° DIN (lockable)

**Environmental**

Operating temperature	-25 °C to +55 °C (-13 °F to +131 °F)
Storage temperature	-40 °C to +70 °C (-40 °F to +158 °F)
Relative humidity	<95%

**Ordering information**

**LBB 9080/00 Omnidirectional Dynamic Handheld Microphone**

Dynamic hand-held microphone, omnidirectional, matt-black finish, close-talking applications, press- to-talk switch with remote contact, coiled cable with 5-pin 180 DIN (lockable).

Order number **LBB9080/00**

**Represented by:**

**Americas:**

Bosch Security Systems, Inc.  
12000 Portland Avenue South  
Burnsville MN 55337, USA  
Phone: +1-800-392-3497  
Fax: +1-800-955-6831  
audiosupport@us.bosch.com  
www.boschsecurity.com

**Europe, Middle East, Africa:**

Bosch Security Systems B.V.  
P.O. Box 80002  
5617 BA Eindhoven, The Netherlands  
Phone: + 31 40 2577 284  
Fax: +31 40 2577 330  
emea.securitysystems@bosch.com  
www.boschsecurity.com

**Asia-Pacific:**

Robert Bosch (SEA) Pte Ltd, Security  
Systems  
11 Bishan Street 21  
Singapore 573943  
Phone: +65 6571 2808  
Fax: +65 6571 2699  
apr.securitysystems@bosch.com  
www.boschsecurity.asia

**China:**

Bosch (Shanghai) Security Systems Ltd.  
201 Building, No. 333 Fuquan Road  
North IBP  
Changning District, Shanghai  
200335 China  
Phone +86 21 22181111  
Fax: +86 21 22182398  
www.boschsecurity.com.cn

**America Latina:**

Robert Bosch Ltda Security Systems Division  
Via Anhanguera, Km 98  
CEP 13065-900  
Campinas, Sao Paulo, Brazil  
Phone: +55 19 2103 2860  
Fax: +55 19 2103 2862  
latam.boschsecurity@bosch.com  
www.boschsecurity.com